NEUROSCIENCE LETTERS

VOLUME 107, Nos. 1-3 CONTENTS DECEMBER 15th, 1989

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Substance P mRNA is present in a population of CGRP-immunoreactive cholinergic postganglionic sympathetic neurons of the cat: evidence from combined in situ hybridization and immunohistochemistry
B. Lindh, M. Pelto-Huikko, M. Schalling, J.M. Lundberg and T. Hökfelt (Sweden) 1

Development of vasoactive intestinal polypeptide (VIP)-containing neurons in organotypic slice cultures from rat visual cortex
M. Götz and J. Bolz (F.R.G.) 6

Localization of tyrosine hydroxylase and phenylethanolamine *N*-methyltransferase immunoreactive cells in the medulla of the dog
G.A. Iwamoto, J.H. Mitchell, M. Sadeq and G.P. Kozlowski (U.S.A.) 12

Retinal dopamine sensitivity to MPP^+ toxicity: electrophysiological and biochemical evaluation
C. Harnois, G. Marcotte, M. Daigle and T. Di Paolo (Canada) 19

Stimulation of the rostral ventrolateral medullary neurons increase cortical cerebral blood flow via activation of the intracerebral neural pathway
Y. Saeki, A. Sato, Y. Sato and A. Trzebski (Japan) 26

Increased diffusion of prolactin-like material into the brain neuropil from homologous adenohypophyseal transplants in the rat neostriatum after a 6-OH-dopamine induced degeneration of the mesostriatal dopamine neurons
B. Bjelke, K. Fuxe and L.F. Agnati (Sweden, Italy) 33

Hypothalamic innervation of the pituitary in the catfish, *Clarias batrachus* (L.): a retrograde horseradish peroxidase study
N.S. Rama Krishna and N. Subhedar (India) 39

Dynorphin-containing pilomotor neurons in the superior cervical ganglion of guinea pigs
I.L. Gibbins (Australia) 45

Retino-petal neurons in the diencephalon of juvenile *Lobotes surinamensis* (teleostei)
D.L. Meyer, C.R. Malz and S.O.E. Ebbesson (F.R.G., U.S.A.) 51

Cerebellar granule cell survival and maturation induced by K^+ and NMDA correlate with c-*fos* proto-oncogene expression
M. Didier, P. Roux, M. Piechaczyk, B. Verrier, J. Bockaert and J.-P. Pin (France) 55

Quisqualate and *N*-methyl-D-aspartate synergistically excite cerebellar Purkinje cells as a long-term effect
S.S. Smith (U.S.A.) 63

Hypotonic diuresis following oropharyngeal stimulation with water in humans
T. Akaishi, T. Shingai, Y. Miyaoka and Shinji Homma (Japan) 70

Endothelin-triggered brain damage under hypoglycemia evidenced by real-time monitoring of dopamine release from rat striatal slices
Y. Kataoka, S. Koizumi, K. Kumakura, M. Kurihara, M. Niwa and S. Ueki (Japan) 75

Nerve stimulation does not necessarily enhance retrograde HRP labeling of rat motoneuron
H. Sato, K. Kanda, K. Hashizume and J. Yamada (Japan) 81

Selective neurotoxicity of clioquinol on the function of the posterior column nuclei
K. Arasaki and T. Nakanishi (Japan) 85

Anoxic changes in dentate granule cells
K. Krnjević and Y. Ben-Ari (France) 89

Effect of nucleus raphe magnus stimulation on recurrent inhibition of the monosynaptic reflex in the cat
N. Wada, Y. Kawashima and Y. Nakajima (Japan) 94

(Contents continued on p. 358.)

This journal is printed on acid-free paper.

CONTENTS *(continued from back cover)*

Elevation of intracellular calcium content in area CA1 of hippocampus is not directly correlated with the development of long-term potentiation
L. Siklós, U. Kuhnt, A. Mihály and F. Joó (Hungary, F.R.G.) 99
Topographic relationships of ipsi- and contralateral visual inputs to the rostral tectum opticum in the salamander *Plethodon jordani* indicate the presence of a horopter
G. Manteuffel, B. Fox and G. Roth (F.R.G.) 105
Synaptic efficacy in the entorhinal-dentate pathway and stress ulcers in rat
P.G. Henke (Canada) 110
Prenatal neurogenesis in the telencephalon of the precocial mouse *Acomys cahirinus*
P.C. Brunjes, D.L. Korol and K.G. Stern (U.S.A.) 114
Effect of midline laparotomy on the cough reflex in dogs
G.A. Farkas, M.A. Schroeder and A. De Troyer (U.S.A.) 120
Blockade of the late IPSP in rat CA1 hippocampal neurons by 2-hydroxy-saclofen
N.A. Lambert, N.L. Harrison, D.I.B. Kerr, J. Ong, R.H. Prager and T.J. Teyler (U.S.A., Australia) 125
Involvement of non-NMDA receptors in picrotoxin-induced epileptiform activity in the hippocampus
W.-L. Lee and J.J. Hablitz (U.S.A.) 129
Stimulation of the septal complex increases local cerebral blood flow in the hippocampus in anesthetized rats
W.-H. Cao, O. Inanami, A. Sato and Y. Sato (Japan) 135
Electrical stimulation of the fastigial nucleus increases total cerebral blood flow in the monkey
P.J. Goadsby and G.A. Lambert (Australia) 141
Neuronal activity of identified posterior hypothalamic neurons projecting to the brainstem peribrachial area of the cat
D. Paré, Y. Smith, A. Parent and M. Steriade (Canada) 145
Excitatory amino acid receptors in the parallel fibre pathway in rat cerebellar slices
J. Garthwaite and P.S. Beaumont (U.K.) 151
Systemic and regional haemodynamic responses to microinjection of 5-HT agonists in the rostral ventrolateral medulla in the rat
T.A. Lovick (U.K.) 157
Cholecystokinin modulates voltage dependent K^+ currents in cultured rat hippocampal neurones
K.J. Buckett and D.A. Saint (Australia) 162
Na^+/H^+ exchange in glial cells of *Necturus* optic nerve
M.L. Astion, A. Chvátal and R.K. Orkand (U.S.A.) 167
Capsaicin sensitization and desensitization on the tongue produced by brief exposures to a low concentration
B.G. Green (U.S.A.) 173
Are there morphological changes in presynaptic terminals of kindled rats?
J. Hovorka, M. Langmeier and P. Mareš (Czechoslovakia) 179
CGP 31358 binds to a site on the NMDA receptor that is coupled to both the transmitter recognition site and the channel domain
J. Baud, K. Thedinga, C. Portet, M. Schmutz, H. Bittiger, S. Bischoff, K. Hauser, M. Benedict, R. Meier and G.E. Fagg (Switzerland) 184
Adrenocortical response following acute neurogenic stimuli is mediated by CRF-41
J. Weidenfeld, C. Rougeot, F. Dray and S. Feldman (Israel, France) 189
Increased responsiveness of the cerebral cortical phosphatidylinositol system to noradrenaline and carbachol in senescent rats
I. Nalepa, A. Pintor, S. Fortuna, J. Vetulani and H. Michalek (Italy, Poland) 195
Haloperidol suppresses light-induced spinule formation and biphasic responses of horizontal cells in fish (roach) retina

M.B.A. Djamgoz, M. Kirsch and H.-J. Wagner (U.K., F.R.G.) 200
Kainate evokes the release of endogenous glycine from striatal neurons in primary culture
S. Weiss, D.E. Kemp and L. Bauce (Canada) 205
Reduced GABA uptake sites in the temporal lobe in schizophrenia
M.D.C. Simpson, P. Slater, J.F.W. Deakin, M.C. Royston and W.J. Skan (U.K.) 211
Histamine synthesis in rat hypothalamus is not acutely regulated via histidine decarboxylase
P.J. Chudomelka and L.C. Murrin (U.S.A.) 216
Carotid body amine levels in goats exposed to hypoxia or hypercapnia
M.J.A. Engwall, E.B. Olson Jr. and G.E. Bisgard (U.S.A.) 221
Apparent hyperalgesic action of the 5-HT_{1A} agonist, 8-OH-DPAT, in the rat reflects induction of spontaneous tail-flicks
M.J. Millan, K. Bervoets and F.C. Colpaert (France) 227
The influence of the estrous cycle on the activity of striatal neurons recorded from freely moving rats
M. Garcia-Munoz, M. Johnson, N. MacLeod and G. Arbuthnott (U.K.) 233
Antagonism at $GABA_B$ receptors by saclofen and related sulphonic analogues of baclofen and GABA
D.I.B. Kerr, J. Ong, G.A.R. Johnston, J. Abbenante and R.H. Prager (Australia) 239
Induction of the ganglioside marker A2B5 on cultured cerebellar neural cells by growth factors
J. Drago, K.L. Reid and P.F. Bartlett (Australia) 245
Acetyl-L-carnitine enhances acetylcholine release in the striatum and hippocampus of awake freely moving rats
A. Imperato, M.T. Ramacci and L. Angelucci (Italy) 251
Excitotoxicity of NMDA and kainic acid is modulated by nigrostriatal dopaminergic fibres
A.G. Chapman, N. Dürmuller, G.J. Lees and B.S. Meldrum (U.K.) 256
Tetanus toxin: inhibitory action in chromaffin cells is initiated by specified types of gangliosides and promoted in low ionic strength solution
P. Marxen and H. Bigalke (F.R.G.) 261
Post-mortem stability of membrane-associated sialidase activity in brain
K.C. Leskawa, M. Szoke and M.J. Malone (U.S.A.) 267
Effect of several vasoactive agents on guanylate cyclase activity in isolated rat brain microvessels
P. Homayoun, W.D. Lust and S.I. Harik (U.S.A.) 273
Effect of glycine and glycine receptor antagonists on NMDA-induced brain injury
J.E. Uckele, J.W. McDonald, M.V. Johnston and F.S. Silverstein (U.S.A.) 279
[^{3}H]Acetylcholine release and the change in cytosolic free calcium level induced by high K^+ and ouabain in rat brain synaptosomes
E. Satoh and Y. Nakazato (Japan) 284
BOAA selectively enhances L-glutamate release from guinea pig hippocampal mossy fiber synaptosomes
R.L. Gannon and D.M. Terrian (U.S.A.) 289
Food intake of rats depleted of dopamine as neonates is impaired by inhibition of catecholamine biosynthesis
B.M. Potter and J.P. Bruno (U.S.A.) 295
An in vitro study of the effect of lipoxygenase and cyclo-oxygenase inhibitors of arachidonic acid on the induction and maintenance of long-term potentiation in the hippocampus
J.H. Williams and T.V.P. Bliss (U.K.) 301
Embryonic and postnatal development of *N*-(1-[2-thienyl]cyclohexyl)[^{3}H]piperidine binding sites in rat forebrain homogenates and slices
K. Shinohara, T. Nishikawa, S. Ishii, K. Yamazaki and K. Takahashi (Japan) 307
Tetrahydroaminoacridine inhibits human and rat brain monoamine oxidase
A. Adem, S.S. Jossan and L. Oreland (Sweden) 313
Increased neuropeptide-converting enzyme activities in cerebrospinal fluid of opiate-tolerant rats

S. Persson, C. Post, L. Alari, F. Nyberg and L. Terenius (Sweden) 318
Inactivation of presynaptic 5-HT autoreceptors by lithium in rat hippocampus
I. Hide and S. Yamawaki (Japan) 323
Isatin and tribulin concentrations are increased in rabbit brain but not liver following pentylenetetrazole administration
A. Clow, J. Davidson, V. Glover, J.M. Halket, A.S. Milton, M. Sandler and P.J. Watkins (U.K.) 327
Stress reduces in vivo inhibition of monoamine oxidase by phenelzine in rat brain
A. Clow, V. Glover, G.F. Oxenkrug and M. Sandler (U.K., U.S.A.) 331
Autoradiographic evidence of [^{3}H]neurotensin binding changes in discrete regions of brain in the rat model of persistent spasmodic dyskinesia induced by iminodipropionitrile
S. Przedborski, M. Wright, S. Fahn and J.L. Cadet (U.S.A.) 335
Activation of the classical complement pathway in brain tissue of Alzheimer patients
P.L. McGeer, H. Akiyama, S. Itagaki and E.G. McGeer (Canada) 341
Do event-related potentials to infrequent decrements in duration of auditory stimuli demonstrate a memory trace in man?
R. Näätänen, P. Paavilainen and K. Reinikainen (Finland) 347